



Part No	Picture	No of LED	COLOR	Operating Voltage	Wattage	Luminous (lm)	Intensity Per LED (mcd)	Wave Length	Viewing Angle
MR11(35*35MM)		6	Red	12V/110~130V220~250V0.3		19~21	4500-7000	6500-7000K	15°
			Yellow						
			Blue						
			Green						
			White						
			Warm White						
		9	Red	12V/110~130V220~250V0.45		28.8~31.5	4500-7000	6500-7000K	15°
			Yellow						
			Blue						
			Green						
			White						
			Warm White						
		12	Red	12V/110~130V220~250V0.6		38.4~42	4500-7000	6500-7000K	15°
			Yellow						
			Blue						
			Green						
			White						
			Warm White						
	9	Red	12V/110~130V220~250V0.45		28.8~31.5	4500-7000	6500-7000K	15°	
		Yellow							
		Blue							
		Green							
		White							
		Warm White							
	12	Red	12V/110~130V220~250V0.6		38.4~42	4500-7000	6500-7000K	15°	
		Yellow							
		Blue							
		Green							
		White							
		Warm White							
	15	Red	12V/110~130V220~250V0.75		48~52.5	4500-7000	6500-7000K	15°	
		Yellow							
		Blue							
		Green							
		White							
		Warm White							
	18	Red	12V/110~130V220~250V		57.6~63	4500-7000	6500-7000K	15°	
		Yellow							
		Blue							
		Green							
		White							
		Warm White							

MR16(50*45MM)



	RGB						
	Red	12V/110~130V220~250V			4500-7000		
	Yellow				4500-7000		
	Blue				5000-7000		
20	Green		1	64~70	14000-15000		
	White				13000-15000	6500-7000K	15°
	Warm White				13000-15000		
	21Pcs RGB						
	Red	12V/110~130V220~250V			4500-7000		
	Yellow				4500-7000		
	Blue				5000-7000		
24	Green		1.2	76.8~84	14000-15000		
	White				13000-15000	6500-7000K	15°
	Warm White				13000-15000		
	Red	12V/110~130V220~250V			4500-7000		
	Yellow				4500-7000		
	Blue				5000-7000		
30	Green		1.5	96~105	14000-15000		
	White				13000-15000	6500-7000K	15°
	Warm White				13000-15000		
	Red	12V/110~130V220~250V			4500-7000		
	Yellow				4500-7000		
	Blue				5000-7000		
36	Green		1.8	115~126	14000-15000		
	White				13000-15000	6500-7000K	15°\120°
	Warm White				13000-15000		
	Red	12V/110~130V220~250V			4500-7000		
	Yellow				4500-7000		
	Blue				5000-7000		
38	Green		1.9	121.6~133	14000-15000		
	White				13000-15000	6500-7000K	15°
	Warm White				13000-15000		
	Red	12V/110~130V220~250V			4500-7000		
	Yellow				4500-7000		
	Blue				5000-7000		
48	Green		2.4	153.6~168	14000-15000		
	White				13000-15000	6500-7000K	15°
	Warm White				13000-15000		
	Red	12V/110~130V220~250V			4500-7000		
	Yellow				4500-7000		
	Blue				5000-7000		
9	Green		0.45	28.8~31.5	14000-15000		
	White				13000-15000	6500-7000K	15°\120°
	Warm White				13000-15000		
	Red	12V/110~130V220~250V			4500-7000		
	Yellow				4500-7000		
	Blue				5000-7000		
12			0.6	38.4~42			



	Green			14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White	12V/110~130V220~250V		13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
15	Green		0.75	48~52.5	14000-15000	
	White			13000-15000	6500-7000K	15°\120°
	Warm White	12V/110~130V220~250V		13000-15000		
	RGB					
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
18	Green		0.9	57.6~63	14000-15000	
	White	12V/110~130V220~250V		13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	RGB					
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
20	Green			64~70	14000-15000	
	White	12V/110~130V220~250V ¹		13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	RGB					
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
24	Green	12V/110~130V220~250V1.2		76.8~84	14000-15000	
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
30	Green	12V/110~130V220~250V1.5		96~105	14000-15000	
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
36	Green	12V/110~130V220~250V1.8		115~126	14000-15000	
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		



JDRE27(50*53MM)


	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
38	Green	12V/110~130V220~250V1.9	121.6~133	14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
48	Green	12V/110~130V220~250V2.4	153.6~168	14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
60/Æ63	Green	12V/110~130V220~250V3	192~210	14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
72/Æ63	Green	12V/110~130V220~250V3.6	230~252	14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
9	Green	12V/110~130V220~250V0.45	28.8~31.5	14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
12	Green	12V/110~130V220~250V0.6	38.4~42	14000-15000		
	White			13000-15000	6500-7000K	15°\120°





GU10(50*53MM)

15	Warm White				13000-15000			
	Red				4500-7000			
	Yellow				4500-7000			
	Blue				5000-7000			
	Green	12V/110~130V220~250V	0.75	48~52.5	14000-15000			
	White				13000-15000	6500-7000K	15°\120°	
	Warm White				13000-15000			
	RGB							
	Red				4500-7000			
	Yellow				4500-7000			
	Blue	12V/110~130V220~250V			5000-7000			
	Green		0.9	57.6~63	14000-15000			
	White				13000-15000	6500-7000K	15°\120°	
	Warm White				13000-15000			
	RGB							
18		12V/110~130V220~250V						
	Red				4500-7000			
	Yellow				4500-7000			
	Blue				5000-7000			
	Green		0.9	57.6~63	14000-15000			
	White				13000-15000	6500-7000K	15°\120°	
	Warm White				13000-15000			
	RGB							
		12V/110~130V220~250V						
	20	Red				4500-7000		
		Yellow				4500-7000		
		Blue				5000-7000		
		Green		1	64~70	14000-15000		
		White				13000-15000	6500-7000K	15°\120°
		Warm White				13000-15000		
RGB								
		12V/110~130V220~250V						
Red					4500-7000			
Yellow					4500-7000			
Blue					5000-7000			
Green			1.2	76.8~84	14000-15000			
White					13000-15000	6500-7000K	15°\120°	
Warm White					13000-15000			
Red		12V/110~130V220~250V			4500-7000			
Yellow				4500-7000				
Blue				5000-7000				
Green		1.5	96~105	14000-15000				
White				13000-15000	6500-7000K	15°\120°		
Warm White				13000-15000				
Red	12V/110~130V220~250V			4500-7000				
Yellow				4500-7000				
Blue				5000-7000				
Green		1.8	115~126	14000-15000				
White				13000-15000	6500-7000K	15°\120°		
Warm White				13000-15000				
Red	12V/110~130V220~250V			4500-7000				
Yellow				4500-7000				
Blue				5000-7000				
Green		1.9	121.6~133	14000-15000				
White				13000-15000	6500-7000K	15°\120°		
Warm White				13000-15000				
Red	12V/110~130V220~250V			4500-7000				
Yellow				4500-7000				
Blue				5000-7000				
Green				14000-15000				

		White			13000-15000	6500-7000K	15°\120°
		Warm White	12V/110~130V220~250V		13000-15000		
		Red			4500-7000		
		Yellow			4500-7000		
	48	Blue		2.4	5000-7000		
		Green			14000-15000		
		White			13000-15000	6500-7000K	15°\120°
		Warm White	12V/110~130V220~250V		13000-15000		
		Red			4500-7000		
		Yellow			4500-7000		
	60/Æ63	Blue		3	5000-7000		
		Green			14000-15000		
		White			13000-15000	6500-7000K	15°\120°
		Warm White	12V/110~130V220~250V		13000-15000		
		Red			4500-7000		
		Yellow			4500-7000		
	72/Æ63	Blue		3.6	5000-7000		
		Green			14000-15000		
		White			13000-15000	6500-7000K	15°\120°
		Warm White			13000-15000		
JCDRE27		Red	12V/110~130V220~250V		4500-7000		
JCDRE14		Yellow			4500-7000		
(50*73MM)		Blue		0.45	5000-7000		
	9	Green			14000-15000		
		White			13000-15000	6500-7000K	15°\120°
		Warm White	12V/110~130V220~250V		13000-15000		
		Red			4500-7000		
		Yellow			4500-7000		
		Blue			5000-7000		
	12	Green		0.6	14000-15000		
		White			13000-15000	6500-7000K	15°\120°
		Warm White	12V/110~130V220~250V		13000-15000		
		Red			4500-7000		
		Yellow			4500-7000		
		Blue			5000-7000		
	15	Green		0.75	14000-15000		
		White			13000-15000	6500-7000K	15°\120°
		Warm White	12V/110~130V220~250V		13000-15000		
		RGB					
		Red			4500-7000		
		Yellow			4500-7000		
		Blue			5000-7000		
	18	Green		0.9	14000-15000		





	White	12V/110~130V220~250V		13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	RGB					
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
20	Green	12V/110~130V220~250V ¹	64~70	14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	RGB					
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
24	Green	12V/110~130V220~250V1.2	76.8~84	14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
30	Green	12V/110~130V220~250V1.5	96~105	14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
36	Green	12V/110~130V220~250V1.8	115~126	14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
38	Green	12V/110~130V220~250V1.9	121.6~133	14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
48	Green	12V/110~130V220~250V2.4	153.6~168	14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
60/Æ63	Green	12V/110~130V220~250V3	192~210	14000-15000		
	White			13000-15000	6500-7000K	15°\120°
	Warm White			13000-15000		
	Red			4500-7000		
	Yellow			4500-7000		
	Blue			5000-7000		
72/Æ63	Green	12V/110~130V220~250V3.6	230~252	14000-15000		

White
Warm White

13000-15000
13000-15000

6500-7000K

15°\120°

