

Series GU10 LED Bulbs -----e300lm

Picture	No of LED	COLOR	Operating Voltage	Wattage	Intensity Per LED (lm)	Total Lumen (lm)	Wave Length	Viewing Angle
	48/Æ50	White\Warm White	110~130V 220~250V	6	6~7	288~336lm	6500\4000K	15°
	48/Æ63	White\Warm White	110~130V 220~250V	6	6~7	288~336lm	6500\4000K	15°
	60/Æ63	White\Warm White	110~130V 220~250V	7.5	6~7	360~420lm	6500\4000K	15°
	72/Æ63	White\Warm White	110~130V 220~250V	9	6~7	432~504lm	6500\4000K	15°
	5	White	110~130V 220~250V	5	70~80	350~400	6500K±200	15°/30°
	Model:FS-GU10P2-5-A		100% aluminium Material					
	5	Warm White	110~130V 220~250V	5	70~80	350~400	3500K±200	15°/30°
								

110~130V

5	White	220~250V	5	70~80	350~400	6500K±200	15°/30°
Model:FS-GU10P2-5-B							
5	Warm White	110~130V 220~250V	5	70~80	350~400	3500K±200	15°/30°



30	White	110~130V 220~250V	8	10~11.67	300~350	6500K±200	90°
----	-------	----------------------	---	----------	---------	-----------	-----

G24d-1 LED Bulbs MOQ:1000pcs

30	Warm White	110~130V 220~250V	8	10~11.67	300~350	3500K±200	90°
----	------------	----------------------	---	----------	---------	-----------	-----

Product Size: Length:140mm Dia:28mm

30	White	110~130V 220~250V	1.5	5~6	150~180	6500K±200	120°
----	-------	----------------------	-----	-----	---------	-----------	------

30	Warm White	110~130V 220~250V	1.5	4.34~5.34	130~160	3500K±200	120°
----	------------	----------------------	-----	-----------	---------	-----------	------

FOB Ningbo White Packing CE ROHS 2008-11-04

